



# AQUA-RESLIN®

## Specimen Label

FOR APPLICATION ONLY BY PUBLIC HEALTH OFFICIALS AND TRAINED PERSONNEL OF MOSQUITO ABATEMENT DISTRICTS AND OTHER MOSQUITO CONTROL PROGRAMS.

- \* Synergized Permethrin Formulation
- \* A Synthetic Pyrethroid For Effective Adult Mosquito (Including organophosphate resistant species), Midge (biting and non-biting) And Blackfly Control
- \* To Be Used As A Space Spray By Air And Ground Application For The Control Of Adult Mosquitoes
- \* To Be Used As A Space Spray By Air Application For The Control Of Adult Mosquitoes
- \* To Be Used As A Space Spray By Ground Applications For The Control Of Adult Mosquitoes
- \* Unique Patented Formulation Allows Dilution With Water Rather Than Oil
- \* Patented Formulation
- \* Uses Water As A Diluent
- \* Fast And Effective Control Of Adult Mosquitoes
- \* Provides Quick Knockdown And Effective Control Of Black Flies, Gnats, Biting And Non-Biting Midges As Well As Other Biting Flies
- \* For Aerial Or Ground Application

### ACTIVE INGREDIENTS:

|   |       |
|---|-------|
| * Permethrin . . . . .                    | 20.0% |
| ◆ Piperonyl Butoxide, Technical . . . . . | 20.0% |

|                                       |        |
|---------------------------------------|--------|
| <b>OTHER INGREDIENTS*:-</b> . . . . . | 60.0%  |
|                                       | 100.0% |

\* (3-phenoxyphenyl) meythyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethyl cyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

◆ Equivalent to 16.0% (butylcarbityl)(6-propylpiperonyl) ether and 4.0% related compounds.

\* Contains Petroleum Distillate

Contains 1.67 pounds of permethrin and 1.67 pounds of piperonyl butoxide per gallon.

EPA Reg. No. 432-796

EPA Est. No.  
07/00TK

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

**KEEP OUT OF REACH OF CHILDREN  
CAUTION  
FIRST AID**

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol. May pose an aspiration pneumonia hazard.

See Side Panel For  
Additional Precautionary Statements

**Net Contents:**



**AVENTIS ENVIRONMENTAL SCIENCE USA LP**  
95 Chestnut Ridge Road • Montvale, NJ 07645

In case of Medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-800-334-7577.

For Product Information Call Toll-Free: 1-800-331-2867

## PRECAUTIONARY STATEMENTS

### Hazards To Humans & Domestic Animals

#### CAUTION

Harmful if swallowed. Wash thoroughly with soap and water after handling.

#### Environmental Hazards

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment rinsate. Do not apply when wind speeds exceed 10 MPH.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow drift when bees are actively visiting the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL FOR DIRECTIONS.

SHAKE OR AGITATE THOROUGHLY BEFORE DILUTING: Diluted product must be thoroughly agitated before use. Avoid storing excess formulation in equipment.

NOTICE: This concentrate cannot be diluted in oil.

Aqua-Reslin is designed to be diluted with water and applied as a ULV spray. The formulation greatly reduces the evaporation rate of water from the droplets and allows the water-based spray cloud to behave as that produced by a typical oil-based formulation.

This concentrate, upon dilution with water is recommended for application as an Ultra Low Volume (ULV) or non-thermal (cold aerosol). Aqua-Reslin may be used for mosquito control programs including residential, industrial, municipalities, parks, campsites, woodlands, athletic fields, golf courses, gardens, playgrounds, recreational and overgrown waste areas, roadsides and other public areas where adult mosquitoes occur. Do not apply over agricultural crops that are used for food, forage or pasture.

In treatment of corrals, feed lots, swine lots and zoos, cover any exposed drinking water, drinking fountains, and animal feed before application. Do not contaminate pasture land, cropland, poultry ranges or water supplies from spray drift.

Do not apply this product within 100 feet (30 meters) of lakes and streams.

Both aerial and ground applications should be made when wind is less than 10 mph.

Aqua-Reslin provides effective control of **adult mosquitoes, black flies, gnats, biting and non-biting midges, stable flies, horse flies, deer flies, sheep flies and other biting flies** and nuisance flying

insects.

Aqua-Reslin provides excellent insect control when ULV applications are made at rates up to 0.007 pounds of permethrin per acre.

Droplet size of an Aqua-Reslin application may be determined using the following procedure:

Droplet size of Aqua-Reslin should be measured using teflon coated glass slides. An adequate volume of air should be sampled by using, for example, rotating rod samplers. Slides are examined microscopically and the diameter of droplets measured in microns. Slides should be scanned until 100-200 droplets have been assessed. A spread factor of 0.61 should be used to correct droplet diameters.

#### GROUND APPLICATION

Vehicle-mounted ULV application: Apply through non-thermal ULV application equipment and base acreage calculations on a 300 foot swath. Adjust equipment to produce droplets within the range of 8 - 20 microns (mass median diameter) and apply when there is a light breeze (i.e. 5 to 10 MPH) at a rate not to exceed 0.007 pounds of permethrin per acre. An optimum swath is created when Aqua-Reslin is applied from a vehicle that is being driven perpendicular to the wind direction. Direct spray head of equipment in a manner to insure even distribution of the spray cloud throughout the area. For best results, treat when insects are most active and meteorological conditions are conducive to keeping the spray cloud close to the ground, inversion of air temperatures and wind is not excessive (does not exceed 10 mph). Application during the cool hours of the early morning or night is preferable. Avoid prolonged inhalation of spray droplets.

Aqua-Reslin may be applied through ULV Cold Aerosol Generators or other equipment designed for non-thermal ULV aerosol application. The desired application rate may be obtained under different conditions by altering the dilution rate of Aqua-Reslin, the flow of insecticide from the application equipment and the vehicle speed as illustrated in the following Table.

| Application Rate (lb permethrin/A) | Vehicle Speed (MPH) | Flow Rate (Fluid Ounces Per Minute) |             |             |             |              |
|------------------------------------|---------------------|-------------------------------------|-------------|-------------|-------------|--------------|
|                                    |                     | Undiluted                           | Diluted 1+2 | Diluted 1+4 | Diluted 1+8 | Diluted 1+12 |
| 0.0010                             | 10                  | 0.46                                | 1.40        | 2.30        | 4.30        | 6.00         |
|                                    | 15                  | 0.70                                | 2.10        | 3.50        | 6.40        | 9.00         |
|                                    | 20                  | 0.95                                | 2.80        | 4.60        | 8.60        | 12.00        |
| 0.0015                             | 10                  | 0.70                                | 2.10        | 3.50        | 6.30        | 9.00         |
|                                    | 15                  | 1.05                                | 3.10        | 5.20        | 9.50        | 13.60        |
|                                    | 20                  | 1.40                                | 4.20        | 7.00        | 12.50       | 18.00        |
| 0.0035                             | 10                  | 1.63                                | 4.90        | 8.10        | 14.60       |              |
|                                    | 15                  | 2.45                                | 7.30        | 12.20       | 22.00       |              |
|                                    | 20                  | 3.25                                | 9.80        | 16.30       | 29.30       |              |
| 0.007                              | 10                  | 3.25                                | 9.80        | 16.30       |             |              |
|                                    | 15                  | 4.89                                | 14.60       | 24.40       |             |              |
|                                    | 20                  | 6.53                                | 19.50       | 32.60       |             |              |

Where dense vegetation is present, the use of the higher rates and/or slower speed is recommended.

Backpack sprayer ULV application: Apply through non-thermal ULV application equipment and base acreage calculations on a 50 foot swath. Dilute Aqua-Reslin with water and apply at the rate of 8 ounces of finished spray per acre (based on a 50 foot swath, 8 ounces should be applied while walking 870 feet). To apply 0.0035 pounds of permethrin per acre, dilute 1 part Aqua-Reslin with 31 parts water and apply at the rate listed above. To apply 0.007 pounds of permethrin per acre, dilute 1 part Aqua-Reslin with 15 parts water and apply at the rate listed above.

## AERIAL APPLICATION

IN FLORIDA: Do not apply by aircraft except in emergency situations and with the approval of Florida Department of Consumer Services.

Aqua-Reslin may be applied (at rates up to 0.007 pounds of permethrin per acre) by fixed-wing and rotary aircraft that are capable of making a ULV application. Repeat applications should be made as necessary. It is preferable to make applications when temperatures exceed 50°F (10°C).

For best results, treat when insects are most active and meteorological conditions are conducive to keeping the spray cloud close to the ground, inversion of temperatures and wind is not excessive (does not exceed 10 mph). Application during the cool hours of the early morning or night is preferable. Avoid prolonged inhalation of spray droplets.

Application should be made at an altitude of 165 feet (50 meters) with a droplet VMD of 60 microns. Reduction in efficacy is possible if applied at higher altitudes.

Application is preferable during inversion conditions which do not favor spray drift.

Always clean equipment after use to insure against contamination.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage and Spill Procedures:** Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

**Pesticide Disposal:** Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

**Container Disposal:** Metal Containers - Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic Containers - Triple rinse or equivalent, then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

### IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Aventis Environmental Science USA LP. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** AVENTIS ENVIRONMENTAL SCIENCE USA LP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Aventis Environmental Science USA LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Aventis Environmental Science disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

**LIMITATIONS OF LIABILITY:** THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT AVENTIS ENVIRONMENTAL SCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Aventis Environmental Science USA LP, 2000

Aqua-Reslin is a registered trademark of the Aventis Group.  
FFAST is a trademark of the Aventis Group.

### AVENTIS ENVIRONMENTAL SCIENCE USA LP

95 Chestnut Ridge Road  
Montvale, NJ 07645

AR-SL-6/00