

RESTRICTED USE CLASSIFICATION

Due to Acute Fish Toxicity

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicators Certification.



SCOURGE® INSECTICIDE

with SBP-1382®/PIPERONYL BUTOXIDE 1.5% + 4.5% MF FORMULA II

Specimen Label

- * A READY TO USE SYNTHETIC PYRETHROID FOR EFFECTIVE ADULT MOSQUITO CONTROL
- * TO BE APPLIED BY MOSQUITO ABATEMENT DISTRICTS, PUBLIC HEALTH OFFICIALS AND OTHER TRAINED PERSONNEL IN MOSQUITO CONTROL PROGRAMS.
- * CONTAINS 0.1 lb/gal (12 g/l) OF SBP-1382 AND 0.3 lb/gal (36 g/l) OF PIPERONYL BUTOXIDE

ACTIVE INGREDIENTS:

*‡Resmethrin	1.50%
**Piperonyl Butoxide Technical	4.50%

OTHER INGREDIENTS†:	94.00%
	100.00%

*Cis/trans isomers ratio: max. 30% (+/-)cis and min. 70% (+/-)trans.
 ‡Aventis Environmental Science SBP-1382 brand of resmethrin insecticide.
 **Equivalent to 3.6% (butylcarbityl) (6-propylpiperonyl) ether and 0.9% related compounds.
 †Contains Petroleum Distillates.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
 (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA Reg. No. 432-719

EPA Est. No.
0719rest 06/00

KEEP OUT OF REACH OF CHILDREN CAUTION FIRST AID

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol. This product contains aromatic petroleum solvent. Aspiration may be a hazard.

IF ON SKIN: Wash with soap and plenty of water. Get medical attention.

In case of Medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-800-334-7577.

For product information Call Toll-Free: 1-800-331-2867

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

NET CONTENTS:

AVENTIS ENVIRONMENTAL SCIENCE USA LP
95 Chestnut Ridge Road • Montvale, NJ 07645

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

Environmental Hazards

This pesticide is highly toxic to fish. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Consult your State's Fish and Wildlife Agency before treating such waters. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Storage: Store product in original container in a locked storage area.
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

READ ENTIRE LABEL FOR DIRECTIONS

For use only by certified applicators or under the supervision of such applicators, for the reduction in annoyance from adult mosquito infestations and as a part of a mosquito abatement program.

IN THE STATE OF CALIFORNIA: For use only by local districts or other public agencies which have entered into and operate under a cooperative agreement with the Department of Public Health pursuant to Section 2426 of the Health and Safety Code.

This product is to be used for control of adult mosquitoes (including organophosphate resistant species), midges (biting and non-biting) and blackflies in ground application with nonthermal or mechanical spray equipment that can deliver spray particles within the aerosol size range and at specified dosage levels.

ULTRA LOW VOLUME APPLICATIONS

For use in nonthermal ULV portable backpack equipment similar to the Hudson B.P., adjust equipment to deliver fog particles of 18-50 microns mass median diameter. Apply at the rate of 4.5-9.0 fl oz of finished formulation per acre (328-658 ml/ha) as a 50 ft (15.2 m) swath while walking at a speed of 2 mph (3.2 kph). This is equivalent to 0.0035-0.0070 lb ai SBP-1382/A (3.92-7.85 gm/ha) plus 0.0105-0.0210 lb ai piperonyl butoxide tech./A (11.77-23.54 gm/ha). Where dense vegetation is present, the higher rate is recommended.

For truck mounted nonthermal ULV equipment similar to LECO HD or MICRO-GEN or WHISPERMIST-XL, adjust equipment to deliver fog particles of 8-20 microns mass median diameter. Consult the following chart for application rates.

Treatment lb ai/A of Scourge Wanted SBP-1382/PBO	Fl oz/A of Undiluted Spray to be Applied	Application Rate-Fl oz/Min	
		5 MPH	10 MPH
0.007/0.021	9.0(266.2 ml)	27.0(798.5 ml)	54.0(1,597 ml)
0.0035/0.0105	4.5(133.1 ml)	13.5(400 ml)	27.0(798.5 ml)
0.00175/0.00525	2.25(66.6 ml)	6.75(200 ml)	13.5(400 ml)
0.00117/0.00351	1.50(45 ml)	4.5(133.1 ml)	9.0(266.2 ml)

Where dense vegetation is present, the use of the higher rates and/or slower speed is recommended.

For best results, fog only when air currents are 2-8 mph (3.2-12.9 kph). It is preferable to fog during early morning and evening when there is less breeze and convection currents are minimal. Arrange to apply the fog in the direction with breeze to obtain maximum swath length and better distribution. Direct spray head of equipment in a manner to insure even distribution of the fog throughout the area to be treated. Avoid prolonged inhalation of fog.

Where practical, guide the direction of the equipment so that the discharge nozzle is maintained at a distance of more than 6 feet (1.83 m) from ornamental plants and 5-15 feet (1.5-4.5 m) or more from painted objects. Temperature fluctuations will require periodical adjustment of equipment to deliver the desired flow rate at the specified speed of travel. The flow rate must be maintained to insure the distribution of the proper dosage of finished formulation.

Spray parks, campsites, woodlands, athletic fields, golf courses, swamps, tidal marshes, residential areas and municipalities around the outside of apartment buildings, restaurants, stores and warehouses. Do not spray on cropland, feed or foodstuffs. Avoid direct application over lakes, ponds and streams.

DIRECTIONS FOR STABLE FLY, HORSE FLY, DEER FLY CONTROL: Treat shrubbery and vegetation where the above flies may rest. Shrubby and vegetation around stagnant pools, marshy areas, ponds and shore lines may be treated. Application of this product to any body of water is prohibited.

For control of Adult Flies in residential and recreational areas, apply this product undiluted at a rate of 432-864 fl oz/hr (12.78-25.55 L/hr) by use of a suitable ULV generator travelling at 5 mph (8 kph) or at a rate of 864-1,728 fl oz/hr (25.55-51.11 L/hr) while travelling at 10 mph (16 kph). When spraying, apply across wind direction approximately 300 ft (91.4 m) apart.

Apply when winds range from 1-10 mph (1.6-16.0 kph). Repeat for effective control.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or

the manner of use or application, all of which are beyond the control of Aventis Environmental Science USA LP. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: AVENTIS ENVIRONMENTAL SCIENCE USA LP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Aventis Environmental Science USA LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Aventis Environmental Science disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT AVENTIS ENVIRONMENTAL SCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Aventis Environmental Science, 1999

®Scourge and SBP-1382 are registered trademarks of the Aventis Group.

Aventis Environmental Science USA LP
95 Chestnut Ridge Road
Montvale, NJ 07645
S 1.5-SL-5/99